PTO/SB/08A(10-01)
Approved for use through 10/31/2002, OMB 851-0031
US Patent & Trademerk Office: U.S. DEPARTMENT OF COMMERCE
on of information unless it contains a valid OMB control number.

Substitute for form 1449A/PTO
INFORMATION DISCLOSURE Complete if Known 09/943134 **Application Number** STATEMENT BY ARPIECANT August 30, 2001 Filing Date Forbes, Leonard **First Named Inventor Group Art Unit** 8 2818 Unknown **Examiner Name** Attorney Docket No: 01303.020US1 Sheet 1 of 3

Maz	03
į	

	US PATENT DOCUMENTS						
Examiner Initial *	USP Document Number	Publication Date	Name of Patentee or Applicant of cited Document	Class	Subclass	Filing Date If Appropriate	
STR	US-4412902	11/01/1983	Michikami, O., et al	204	192	06/18/1982	
	US-4780424	10/25/1988	Holler, Mark A	437	29	09/28/1987	
	US-5350738	09/27/1994	Hase, T., et al	505	473	11/27/1992	
	US-5801401	09/01/1998	Forbes, L.	257	77	01/29/1997	
	US-5852306	12/22/1998	Forbes, Leonard	257	315	01/29/1997	
}	US-5981350	11/09/1999	Geusic, J. E., et al	438	386	05/29/1998	
THE	US-6025627	02/15/2000	Forbes, L., et al	257	321	05/29/1998	

FOREIGN PATENT DOCUMENTS					1	
Examiner Initials*	Foreign Document No	Publication Date	Name of Patentee or Applicant of cited Document	Class	Subclass	T ²

	OTHE	R DOCUMENTS NON PATENT LITERATURE DOCUMENTS	
Examiner Initials*	Cite No 1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T²
		AFANAS'EV, V., et al., "Electron energy barriers between (100)Si and ultrathin	
\mathcal{P}		stacks of SiO2, Al2O3, and ZrO3 and ZrO2 insulators", Applied Physics Letters,	
14C		78(20), (2001),pp. 3073-3075	
1		ARYA, S., "Conduction Properties of Thin Al2O3 Films", Thin Solid Films, 91,	
		(1982),pp. 363-374	
		DIPERT, BRIAN., "Flash Memory Goes Mainstream", IEEE Spectrum, 30,	
į.		(October 1993),48-52	
		ELDRIDGE, J., et al., "Analysis of Ultrathin Oxide Growth on Indium", Thin Solid	·
ł		Films, 12, (1972),pp. 447-451	
		ELDRIDGE, J., "Measurement of Tunnel Current Density in a Metal-Oxide-Metal	
1		System as a Function of Oxide Thickness", Proc. 12th Intern. Conf. on Low	
Ì		Temperature Physics, (1971),pp. 427-428	
		GREINER, J.G., "Josephson Tunneling Barriers by rf Sputter Etching in an	
		Oxygen Plasma", Journal of Applied Physics, vol. 42, no. 12, (November	
ł		1971),5151-5155	
		GREINER, J., "Oxidation of lead films by rf sputter etching in an oxygen plasma",	/
		Journal of Applied Physics, 45(1), (1974),pp . 32-37	
		GRIMBOLT, J., et al., "I. Interaction of Al Films with O2 at Low Pressures",	S. Carrier
1	İ	Journal of the Electrochemical Society, 129(10), (1982),pp. 2366-2368	4
		GRIMBOLT, J., et al., "II. Oxidation of Al Films", Journal of Electrochem Soc.:	
		Solid-State Science and Technology, (1982),pp. 2369-2372	}
7		GUNDLACH, K., "Logarithmic Conductivity of Al-Al2O3-Al Tunneling Junctions	
		Produced by Plasma and by Thermal Oxidation", Surface Science, 27,	
1		(1971),pp. 125-141	
		GUO, X., et al., "High Quality Ultra-thin (1.5 nm) TiO2/Si3N4 Gate Dielectric for	
		·	

TR-TR 40 **EXAMINER**

DATE CONSIDERED NOV 2002

PTO/SB/08A(10-01)
Approved for use through 10/31/2002, OMB 651-0031
US Patent & Trademark Office: U.S. DEPARTMENT OF COMMERCE
ork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449A/PTO Complete if Known INFORMATION DISCLOSURE **Application Number** 09/943134 STATEMENT & PARPLICANT (Use as many shretted necessary) August 30, 2001 Filing Date Forbes, Leonard **First Named Inventor** JUN 2 1 2002 92818 Gr up Art Unit **Examiner Name** Unknown TRADEN Attorney Docket No: 01303.020US1 Sheet 2 of 3

	OTHER	R DOCUMENTS NON PATENT LITERATURE DOCUMENTS	
Examiner Initials*	Cite No ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T²
TH		Deep Sub-micron CMOS Technology", <u>IEDM Technical Digest</u> , (1999),pp. 137-140	
		HURYCH, Z.,"Influence of Non-Uniform Thickness of Dielectric Layers on Capacitance and Tunnel Currents", Solid-State Electronics, vol. 9, (1966),967-979	
		ITOKAWA, H., et al., "Determination of Bandgap and Energy Band Alignment for High-Dielectric-Constant Gate Insulators Using High-Resolution X-ray Photoelectron Spectroscopy", Extended Abstracts of the 1999 International Conference on Solid State Devices and MAterials, (1999),pp. 158-159	
		KIM, H., et al., "Leakage current and electrical breakdown in metal-organic chemical vapor deposited TiO2 dielectrics on silicon substrates", Applied Phys. Lett., 69(25), (1996),pp. 3860-3862	
		KUBASCHEWSKI, O., et al., Oxidation of Metals and Alloys, Second Edition, Butterworths, London, (1962), pp. 1-3, 5,6, 8-12, 24, 36-39 KUBASCHEWSKI, O., "Oxidation of Metals and Alloys", Butterworths. London,	
	-	(1962),53-63	
		KUKLI, K., et al., "Development of Dielectric Properties of Niobium Oxide, Tantalum Oxide, and Aluminum Oxide Based Nanolayered Materials", <u>Journal of HTe Electrochemical Society</u> , 148(2), (2001),pp. F35-F41	
		KWO, J., et al., "Properties of high k gate dielectrics Gd2O3 and Y2O3 for Si", Journal of Applied Physics, 89(7), (2001),pp. 3920-3927	
		LUAN, H., "High Technology Ta2O5 Gate Dielectrics with Tox,eq<10A", IEDM, (1999),pp. 141-144	
		MA, Y., et al., "Zirconium Oxide Based Gate Dielectrics with Dielectrics with equivalents Oxide Thickness of LEss Than 1.0 nm and Performance of Submicron MOSFET using a Nitride Gate Replacement Process", IEDM - Technical Digest, (1999),pp. 149-152	
	-	MASUOKA, F., "A 256K flash EEPROM using Triple Polysilicon Technology", 1985 IEEE International Solid-State Circuits Conference. Digest of Technical Papers, (02/1985),168-169	
		MASUOKA, F., "A new Flash E2PROM Cell using Triple Polysilicon Technology", International Electron Devices Meeting. Technical Digest, (12/1984),464-467	
		MORI, S., "Reliable CVD Inter-Poly Dieletrics for Advanced E&EEPROM", 1985 Synposium on VSLI Technology. Digest of Technical Papers, (1985),16-17 MULLER, H., "Electrical and Optical Properties of Sputtered In2O3 Films",	
		Physica Status Solidi, 27(2), (1968),pp.723-731 PASHLEY, RICHARD.D., "Flash Memories: the best of two worlds", IEEE	
		Spectrum, (12/1989), 30-33 POLLACK, S., "Tunneling Through Gaseous Oxidized Films of Al2O3", Transactions of the Metallurgical Society of AIME, 233, (1965),pp. 497-501	-

TRITTLE HO EXAMINER

DATE CONSIDERED NOV 2002

PTO/S8/084(10-01)
Approved for use through 10/31/2002. OMB 651-0031
US Patent & Trademark Office: U.S. DEPARTMENT OF COMMERCE
Blection of Information unless it contains a valid OMB control number.

Substitute for form 1449A/PTO Complete if Known INFORMATION DISCLOSURE 09/943134 **Application Number** STATEMENT BY APPLICANT August 30, 2001 Filing Dat Forbes, Leonard **First Named Inventor** 8 28 8 **Group Art Unit** JUN 2 1 2002 Unknown **Examiner Name** Attorney Docket No: 01303.020US1 Sheet 3 of 3

	OTHER	R DOCUMENTS NON PATENT LITERATURE DOCUMENTS	
Examiner Initials*	Cite No 1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T²
TH		QI, W., et al., "MOSCAP and MOSFET characteristics using ZrO2 gate dielectric deposited directly on Si", IEDM - Technical Digest, (1999),pp. 145-148	
		ROBERTSON, J., "Band offsets of wide-band-gap oxides and implications for future electronic devices", <u>Journal Vac. Sci. Technol. B, 18(3)</u> , (2000),pp. 1785-1791	1
		ROBERTSON, J., et al., "Schottky barrier heights of tantalum oxide, barium strontium-titanate, lead titanate, and strontium bismuth tantalate", Applied Physics Letters, 74(8), (1999),pp. 1168-1170	•
		SHI, Y.,et al., "Tunneling Leakage Current in Ultrathin (<4 nm) Nitride/Oxide Stack Dielectrics", IEEE Electron Device Letters, 19(10), (1998),pp. 388-390	
		SIMMONS, J., "Generalized Formula for the Electric Tunnel Effect between'. Similiar Electrodes Separated by a Thin Insulating Film", <u>Journal of Applied</u> Physics, 34(6), (1963),pp. 1793-1803	
		SWALIN, R.,"Equilibrium between Phases of Variable Composition", Thermodynamics of Solids, 2nd Edition, (1972),pp. 165-180	
	_	SZE, S., Physics of Semiconductor Devices, Second Edition, John Wiley & Sons, New York,(1981),pp. 553-556	
		YAN, J.,et al., "Structural and electrical characterization of TiO2 grown from titanium tetrakis-isopropoxide (TTIP) and TTIP/H2O ambients", <u>Journal Vac. Sci. Technol. B, 14(3)</u> , (1996),pp. 1706-1711	

Note: Month where not specified is unknown

EXAMINER TU-TU HO

DATE CONSIDERED NOV 2002